HAER No. WY-51-AA

Superior Coal Mines,
Concrete Foundation
Sections 28, 29, T21N, R102W
Horse Thief Canyon
Old Superior Mines and Townsite
about 1/4 mile north of South Superior
Sweetwater County South Superior
Wyoming

HAEQ WYO 19-*S*osu**P.**V IAA-

## **PHOTOGRAPHS**

WRITTEN HISTORICAL AND DESCRIPTIVE DATA

Historic American Engineering Record
National Park Service
Rocky Mountain Regional Office
Department of the Interior
P.O. Box 25287
Denver, Coloredo 80225

HAER Wyo 19-50.5 UP.Y 1AA-

## HISTORIC AMERICAN ENGINEERING RECORD

Superior Coal Mines, Concrete Foundation HAER No. WY-51-AA

Concrete Foundation: 48SW4068, Structure AA (SW/NW/SE/NW Section 28, T21N, R102W 12/668840E/4625700N).

Structure AA is a collapsed concrete foundation. The foundation is located along the side of the ridge slope south of Horse Thief Draw. The foundation is located approximately 1/3 mile northwest of Superior. The foundation is rectangular in shape with the long axis running east to west. The overall length is 36 feet 9 inches east to west by 23 feet 8 inches north to south. foundation consists of two rooms, a smaller east room which measures 13 feet 2 inches north to south by 17 feet 1 inch east to The depth of the foundation to fill in this room is 5 feet The west room is somewhat larger than the east room 3 inches. being 19 feet 8 inches long east to west by 23 feet 8 inches north This room is filled nearly to grade with earth. to south. opening is present between the two rooms in the west wall of the The opening is 4 feet 11 inches north of the south east room. It is 2 feet 3 inches wide. The foundation is in poor condition resulting from the removal of the structure. Concrete slabs have been broken off and pushed into the center of the A grouping of dry laid sandstone blocks are located directly east of the foundation. These may indicate the location of the main entryway to the structure.

